## Amendments to the Claims:

- 1. (Original) A cap for distributing the air output by a heating or air-conditioning unit with forced convection or with natural convection comprising a deflector having one or more vanes, each vane being orientable so as to adopt a position in which it is inclined to the vertical so that its outer end faces towards the wall against which the unit is fitted.
- 2. (Original) A cap according to Claim 1 in which the deflector comprises a single vane.
- 3. (Currently Amended) A cap according to Claim 1 or Claim 2 in which the deflector can be oriented manually.
- 4. (Currently Amended) A cap according to Claim 1 or Claim 2 in which the deflector can be oriented by means of an electrical actuator operated by a suitable control.
- 5. (Currently Amended) A cap according to any one of Claims 1 to
- 4, the cap being fixable to the top of the housing of a heating or air-conditioning unit by suitable fixing means.
- 6. (Original) A cap according to Claim 5 in which the fixing means are a male-and-female screw system or snapengagement means.

- 7. (Currently Amended) A cap according to any one of Claims 1 to 6, comprising a frame which supports a deflector in a pivotable manner, the frame being open at the bottom and comprising at the top a rear portion which is intended to face towards the wall against which the unit is fitted, and a front portion having a substantially rectangular opening which houses the deflector.
- 8. (Original) A cap according to Claim 7 in which a plurality of parallel fins lying in planes perpendicular to the longitudinal axis of the distribution cap is disposed inside the opening in the frame.
- 9. (Currently Amended) A cap according to Claim  $\underline{8}$  in which the fins are orientable.
- 10. (Currently Amended) A cap according to any one of Claims 1 to 9 in which the deflector comprises a vane of a shape and size substantially corresponding to those of the opening so that it blocks the opening when the deflector is in the closed position.
- 11. (Original) A cap according to Claim 10 in which two or more flat projections lying in planes perpendicular to the longitudinal axis of the deflector are disposed on the lower surface of the vane, the flat projections being articulated in a pivotable manner on the inner side walls of the opening and/or on one or more fins.

- 12. (Currently Amended) A cap according to any one of Claims 1—to 10 in which the vane of the deflector is roofshaped with two slightly inclined pitches.
- 13. (Currently Amended) A cap according to Claim 12 in which the angle formed between the pitches is approximately  $168^{\circ}$ .
- 14. (Currently Amended) A cap according to Claim 12 or Claim 13 in which two pins project from the side edges of one of the two pitches and are intended to be housed in a pivotable manner in respective seats disposed on the side walls of the opening.
- 15. (Original) A cap according to Claim 14 in which the pins are positioned approximately one third of the distance across the width of the pitch from the ridge line between the two pitches.
- 16. (Currently Amended) A cap according to any one of Claims 12-to 15-in which the vane is mounted directly on the upper edges of the housing of the heating or air-conditioning unit, the pins being inserted in corresponding holes formed in the side walls of the housing.
- 17. (Currently Amended) A cap according to any one of Claims 1 to to to the the air-distribution cap is made of plastics material.

- 18. (Currently Amended) A heating or air-conditioning unit with forced convection or with natural convection comprising an air-distribution cap according to any one of Claims 1 to 17.
- 19. (Original) A heating or air-conditioning unit according to Claim 18, the unit being capable of being fitted on a wall.
- 20. (Currently Amended) A heating or air-conditioning unit according to Claim 18 or Claim 19 in which the opening and the closure of the deflector are brought about automatically by means of a central control unit connected to a thermostat.
- 21. (Currently Amended) A heating or air-conditioning unit according to any one of Claims 18 to 20, the unit being fixable to a ceiling.